


Mysql database replicatie

- waarom
 - hoge beschikbaarheid (high availability)
 - schaalbaarheid (scalability, load balancing)
 - niet voor backup (delete = delete!)
- focus voor nu: master -> slave replicatie
(bv. voor een website (veel reads, minder writes))
 - master config
 - slave config
 - demo
- andere vormen
 - master <-> master
 - clustering
 - combinaties

master - slave replication



Config

- master = rpi-1 (192.168.5.31), slave = rpi-2 (192.168.5.32)
- master config, in my.cnf:

```
server-id = 1  
log-bin    = /var/log/mysql/mysql-bin.log
```

- create user for replication on master:

```
mysql> grant replication slave on *.* to 'repli_user'@'192.168.5.32' \  
identified by '*****';
```

- slave config, in my.cnf:

```
skip-slave-start  
server-id = 2  
log-bin    = /var/log/mysql/mysql-bin.log
```


- enable slaving

```
mysql> CHANGE MASTER TO MASTER_HOST = 'masterhost.domain.com', \  
MASTER_USER = 'repli_user', MASTER_PASSWORD = '*****';
```


```
mysql> start slave;
```

```
mysql> show slave status\G
```

master <-> master




Mysql cluster



Bron: <http://dev.mysql.com/doc/refman/5.1/en/mysql-cluster-overview.html>

Combinaties



Bron: <http://dev.mysql.com/doc/refman/5.1/en/mysql-cluster-replication.html>